

L Number	Hits	Search Text	DB	Time stamp
2	171	((345/825 345/826 345/783 345/810 345/902).ccls.) and (display\$3 with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/22 15:16
-	4	(server with (load\$3 download\$3 down-load\$3) with (script) with (transition\$3) with (status state))	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/20 13:45
-	239	("graphical user interface" GUI) with display\$3 with (operation process\$3) with ("input device")	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/20 13:04
-	10	("graphical user interface" GUI) with display\$3 with (guide help manual instruction) with (operation\$3 status transition) with ("input device" (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/20 13:12
-	12	("graphical user interface" GUI) with display\$3 with (guide help manual instruction) with (operation\$3 status transition function\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/20 13:14
-	2	(("graphical user interface" GUI) with display\$3 with (guide help manual instruction) with (operation\$3 status transition function\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) not (("graphical user interface" GUI) with display\$3 with (guide help manual instruction) with (operation\$3 status transition) with ("input device" (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/20 13:14
-	61	(script) with (status transition state operation) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/20 13:51
-	9	((script) with (status transition state operation) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) and (display\$3 with (GUI "graphical user interface") with (operation\$3 status function\$3 guide manual help reference list\$3 menu) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	USPAT; US-PPGPUB; EPO; JPO; DERWENT	2004/09/20 13:57

-	7	((script) with (status transition state operation) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial) and (display\$3 with (GUI "graphical user interface") with (operation\$3 status function\$3 guide manual help reference list\$3 menu) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) not (((graphical user interface" GUI) with display\$3 with (guide help manual instruction) with (operation\$3 status transition) with ("input device" (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) ("graphical user interface" GUI) with display\$3 with (guide help manual instruction) with (operation\$3 status transition function\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:18
-	12069	((monitor\$3 detect\$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:21
-	2	((monitor\$3 detect\$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial) and (server with (load\$3 read\$3 download\$3 down-load\$3 open\$3) with (script) with (transition operation) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:32
-	2	((monitor\$3 detect\$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial) and (server with (load\$3 read\$3 download\$3 down-load\$3 open\$3 display\$3) with ("GUI" "graphical user interface") with (operation transition process\$3 function) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:34

		4	((monitor\$3 detect\$3) with (operation input) with (notification alert signal alarm) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial) and (server with (load\$3 read\$3 download\$3 down-load\$3 open\$3 display\$3) with ("GUI" "graphical user interface") with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial)) (345/157 345/163).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:37
		2264		USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:37
		3	((345/157 345/163).ccls.) and (display\$3 with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel) with ("GUI" "graphical user interface")) (345/157 345/163).ccls.) and (display\$3 with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:40
		247	((345/157 345/163).ccls.) and (display\$3 with (menu list\$3) with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) (345/157 345/163).ccls.) and (display\$3 with (menu list\$3) with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel) with (GUI interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 14:27
		0	((345/157 345/163).ccls.) and (display\$3 with (menu list\$3) with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel) with (GUI interface)) (345/157 345/163).ccls.) and (display\$3 with (menu interface list\$3) with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:43
		30	((345/157 345/163).ccls.) and (display\$3 with (menu interface list\$3) with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) (345/157 345/163).ccls.) and (display\$3 with (menu list\$3) with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/20 14:44
		10	((345/157 345/163).ccls.) and (display\$3 with (menu list\$3) with (operation function direction transition status state process\$3) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) (determin\$5 decipher\$3) with (operation status) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 09:08
		2087		USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 09:40

	218	((determin\$5 decipher\$3) with (operation status) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and (display\$3 with (list\$3 menu guide manual diagram graph\$3 image picture) with (operation status) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 09:48
	4	((determin\$5 decipher\$3) with (operation status) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and (display\$3 with (list\$3 menu guide manual diagram graph\$3 image picture) with (operation status) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel) with (GUI "graphical user interface")))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 09:47
	24	((determin\$5 decipher\$3) with (operation status) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and (display\$3 with (list\$3 menu guide manual diagram graph\$3 image picture) with (operation status) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))) and (GUI "graphical user interface"))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:22
	61	server with (monitor\$3 detect\$3 notif\$7) with (operation activity) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:28
	72	server with (monitor\$3 detect\$3 notif\$7) with (operation status transition activity) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:29

		4	(server with (monitor\$3 detect\$3 notif\$7) with (operation status transition activity) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and ((server) with (access\$3 load\$3 open\$3) with (file script) with (operation status activity transition) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:29
		11	(server with (monitor\$3 detect\$3 notif\$7) with (operation status transition activity) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel)) and ((file script) with (operation status activity transition) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:33
		2	server with (load\$3 open\$3 access\$3 download\$3 down-load\$3 consult\$3) with (script) with (operation status activity) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:35
		3	(load\$3 open\$3 access\$3 download\$3 down-load\$3 consult\$3) with (script) with (operation status activity) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:37
		17	server with (load\$3 open\$3 monitor\$3 access\$3 download\$3 down-load\$3 consult\$3) with (file script) with (operation status activity) with ((input near3 device) (scroll\$3 near3 (dial wheel)) thumb-wheel thumbwheel "thumb wheel" thumb-dial "thumb dial" thumbdial jogdial "jog dial" jog-dial "jog wheel" jog-wheel jogwheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 10:38